BitBucket - Sincronizando com Android Studio

Crie uma nova aplicação no Android Studio > Start a new Android Studio Project



8	Create New Project	×
New Andreid S	Project	
Configure you	r new project	
Application name:	MeuEvemploComGitApplication	- 1
Company domain:	meuprimeiroexemploapp.guarino.example.com	1
Package name:	com.example.guarino.meuprimeiroexemploapp.meuexemplocomgitapplication	511
	Include C++ support	
Project location:	C:\Users\AndroidStudioProjects\MeuExemploComGitApplication	
	Previous Next Cancel Finish	

R		Create New Project		×
🛛 👧 Target Android De	evices			
Select the form factors your app v	vill run on			
Different platforms may require separate SDKs				
Phone and Table	et			
Minimum SDK	API 15: Android 4.0.3 (IceCrean	nSandwich)		
	Lower API levels target more de	vices, but have fewer features ava our app will rup on approximately	ailable. 100.0% of the devices	
	that are active on the Google Pl	ay Store.		
□ Wear	Help me choose			
Minimum SDK	API 21: Android 5.0 (Lollipop)			
🗆 TV				
Minimum SDK	API 21: Android 5.0 (Lollipop)			
Android Auto				
			<u>P</u> revious	Next Cancel Finish
	131			1
•		Create New Project		X
		cleate New Hoject		_
Add an Activity to	Mahila			
	<u>د</u> :	۲. E	6	
		· ·		
				$\langle \rangle$
Add No Activity				$\langle \rangle$
	•			
	Basic Activity	Bottom Navigation Activity	Empty Activity	Fullscreen Activity
	← :	(← :)		
Ad				
		_		•
				• •
Google AdMob Ads Activity G	Google Maps Activity	Login Activity	Master/Detail Flow	Navigation Drawer Activity
			Proviour	Next Cancel Einich
			Licenous	Concer (1113)

2	Create	New Project	×
Customize t	ne Activity		
÷	Creates a new empty activity		
	Activity Name: MainActivity		
	Layout Name: activity_main	ity (AppCompat)	
Empty Activity			
	The name of the activity class to create		
		Previous	Next Cancel <u>Finish</u>

Clique em VCS > Enable Version Control Integration...

<u>File Edit View Navigate Code Analyze Refactor B</u>	uild R <u>u</u> n	<u>T</u> ools	/CS Window Help
📑 MeuPrimeiroApp 👌 📑 app 👌 🛅 src 👌 🛅 main 👌 🛅 jav	a 🕽 💼 cor	m) 🗈 (Local History 🕒 meuprimeiroapp) 🙆 QuestaoCadastrarActivity) 🛛 🔨 🖾 app 🚽 🕨 🎼 🖡 📕 👢 🛄 😋 🔍
🏺 Android 👻 😌 👳 🕸 🖝 🖿	activ	ity_maii	
▶ 📑 app		Ques	VCS Operations Popup Alt+Crase
Gradle Scripts	1	nack	Apply Patch
	2	puca	Apply Patch from Clipboard
	3	• impo	Checkout from Version Control
	8		Import into Version Control
	9 0	pubr:	Browse VCS Repository
	11		Sync Settings
	12 📬	e p	rotected void onCreate(Bundle savedInstanceState) {
	13		<pre>super.onCreate(savedInstanceState);</pre>
	14		<pre>setContentView(R.layout.activity_questao_cadastrar);</pre>
	15		
	16		
	17		<pre>Button button = (Button) findViewById(R.id.guestao_cadastrar_salvar);</pre>
	18 🖤	+	button.setOnClickListener((view) → {
	21		loast.makerext(Questaocadastraractivity.tnis, "salvo com sucesso", loast.Leworn_LowG).snow();
	22		//pode dar o intent mas had e o meinor
	20		
	26		
	27		
	28		
	29	6	
	30	1	
	31		

Selecione GIT.



Clique em OK

Acesse o Bitbucket



Clique no seu repositório (primeiro_tutorial).

Clique em "I have an existing project"

		Guarino / primeiro_tutorial	HTTPS 🗸	https://guarinaum_tutorial@bitbucket.
	primeiro_tutorial	Overview		
	Overview			
\diamond	Source	· · · · · · · · · · · · · · · · · · ·		
¢	Commits			
រៃ	Branches	1 m		
ຳນ	Pull requests			
¢	Pipelines	Put some bits in your bucket		
Ð	Downloads	Add some code or content and start bringing your ideas to I	life. Learn ho	W
0	Settings			
SHARE	YOUR THOUGHTS	Get started the easy way		
, ∎t	Give feedback	Creating a README or a .gitignore is a quick and easy way to get something into your repository.		
8	Turn off new nav	Create a README Create a .gitignore		
		Get started with command line		
		I have an existing project		
		I'm starting from scratch		
	↓ ↓	Image: Straight of the series Image: Straight of the series </th <th>Guarino / primeiro_tutorial Overview Source Commits Branches Pull requests Pipelines Downloads Settings SHARE YOUR THOUGHTS Give feedback Turn off new nav Create a README Create a README It have an existing project It have an existing project It makes</th> <th>Guarino / primeiro_tutorial HTTPS * Overview Overview Source Image: Commits Branches Branches Pipelines Put some bits in your bucket Downloads Add some code or content and start bringing your ideas to life. Learn hor SHARE YOUR THOUGHTS Get started the easy way Create a README Create a .gitignore Get started with command line I have an existing project I have an existing project I have an existing project</th>	Guarino / primeiro_tutorial Overview Source Commits Branches Pull requests Pipelines Downloads Settings SHARE YOUR THOUGHTS Give feedback Turn off new nav Create a README Create a README It have an existing project It have an existing project It makes	Guarino / primeiro_tutorial HTTPS * Overview Overview Source Image: Commits Branches Branches Pipelines Put some bits in your bucket Downloads Add some code or content and start bringing your ideas to life. Learn hor SHARE YOUR THOUGHTS Get started the easy way Create a README Create a .gitignore Get started with command line I have an existing project I have an existing project I have an existing project

Copie o comando abaixo



No Android Studio, abra o Terminal

<u>F</u> ile <u>E</u> dit	<u>View</u> <u>N</u> avigate <u>C</u> ode Analy	yze <u>R</u> efactor	<u>B</u> uild R <u>u</u> n <u>T</u> ools V	C <u>S</u> <u>W</u> indov	v <u>H</u> elp	
nGitApplica	Tool Windows	l	🔲 Messages	Alt+0	🔎 🛅 meuprimeiroexemploapp) 🛅 meuexemplocomgitapplication 🛛 🌆 app 🚽 🕨 🧍 👔 🛛	🗉 🖓 🎬 🖢 🛃 📕 🖬 🔍 🔲
👾 Androi	Quick Definition	Ctrl+Shift+I	Project	Alt+1	MainActivity.java ×	
🔻 🗖 app	Show Siblings		Tavorites	Alt+2		
🕨 🖻 r	Quick Documentation	Ctrl+Q	▶ Kun	Alt+4	mple.guarino.meuprimeiroexemploapp.meuexemplocomgitapplication:	~ ~ ~
🔻 🗖 j	Parameter Info	Ctrl+P	Android Monitor	Alt+6		
T I	Expression Type	Ctrl+Shift+P	V Structure	Alt+7		
b. I		Alt+Q	Version Control	Alt+9	inActivity extends AppCompatActivity {	
•	Recent Files	Ctrl+E	🐳 Android Model			
► Car	Recently Changed Files	Alt+Shift+C	🐳 Build Variants		oid op("mosto (Pundle anundTestonesCtote) (
🕨 💽 Grad	Compare With	Ctrl+D	🔍 Capture Analysis		nCreate (savedInstanceState);	
	Compare with Clipboard	Cui+D	Capture Tool		entView(R.layout.activity_main);	
	Ouick Switch Scheme	Ctrl+Crase	Captures			
	Toolbar		Gradie			
	Tool Buttons		Gradle Console			
	✓ <u>Status Bar</u>		lmage Layers			
	✓ Navigation Bar		Terminal	Alt+F12		
	Active Editor	,	Theme Preview			
	Enter Presentation Mode		Se TODO			
	Enter Distraction Free Mode	2				
	Enter Full Screen					

Activate Terminal window

13:2 CRLF‡ UTF-8‡ Git: master‡ Context: < no context> 🖀 🚇 🌒

Copie o comando do Bitbucket no Terminal

eGitApplication) 🖬 app) 🗖 src) 🗖 main) 🗖 java) 🖬 co	m) 🗈 ex	ample) 🗈 gua	rino) 🛅 meuprimeiro	exemploapp) 🗈 n	veuexemplocomgitapplic	cation 🔨 🗔 app	💌 🕨 🕂	¢ ⊯ G	■ \$	\$° @ ⊅	<u>a</u> 14	a
- O + O + P	🗃 activi	tyjmainomi X	® MainActivity java	×								
	1 2 5 6 9 9 10 11 12	package com import public class protect sup set	example.guarino.m a MainActivity ext de ed void coCreate() er.coCreate(saved) ContentView(R.layo	euprimeiroexem ends AppCompati undle savedIns instanceState); ut.activity_ma	oloapp.meuexemploco uctivity (anceState) (in);	mgitapplication;	5					ļ
	14											
Terminal												0·1
 Histosoft Windows (versão 6.3.9600) (c) 2013 Microsoft Corporation. Todos os dire C:\Users\AndroidStudio@rojects\MesExemploCom0 	itos re	servados. cations[]	New Session Cloge Session Next Tab Previous Tab	Ctrl+Shift+T Ctrl+Shift+W Alt-Direita Alt-Esquerda								
			Eind	CD1-F								

O resultado do comando deve ficar semelhante a figura abaixo.

Kicrosoft Windows [versão 6.3.9600] (c) 2013 Microsoft Corporation. Todos os direitos reservados. C:\Users\AndroidStudioBrojects\MeuExemploComGitApplication>git remote add origin https://guarinaum_tutorial@bitbucket.org/guarinaum_tutorial/primeiro_tutorial.git C:\Users\AndroidStudioBrojects\MeuExemploComGitApplication>

Depois é preciso dar o comando git add .

Microsoft Windows [versão 6.3.9600]
(c) 2013 Microsoft Corporation. Todos os direitos reservados.
C:\Users\AndroidStudioProjects\MeuExemploComGitApplication>git remote add origin ht
C:\Users\AndroidStudioProjects\MeuExemploComGitApplication>git add .
_

Após dar o comando, é necessário fazer o Commit

<u>File Edit View Navigate Code Analyze Refactor Build</u>	d R <u>u</u> n <u>T</u> ools	VC <u>S</u> Window Help		
nGitApplication) 📑 app) 🛅 src) 🛅 main) 🛅 java) 🛅 co	om 👌 💼 exampl	Local <u>H</u> istory	🛅 meuexemplocomgitapplication 🛛 🗔 app 💌 🕨 🧍 🚯 🔒	🛯 🖉 🛱 🖢 生 🖳 🛱 🔍 🖪
🚔 Android 🔹 😳 🕂 🕸 🗠	activity_m	VCS Operations Popup Alt+Crase		
	1 pac 2 imp 5 f 6 m pub 5 9 f 7 9 9 f 10 1 12 ↓ 13] 14	Commit Changes Ctrl+K Update Project Ctrl+T Integrate Project Refresh File Status Git Create Patch Apply Patch from Clipboard Shelve Changes Checkgut from Version Control Import into Version Control Browse VCS Repository Sync Settings	exemploapp.meuexemplocomgitapplication; mpatActivity { dInstanceState) { te); y_main);	~
Terminal				☆~ 上
 The file will have its original line endings warning: LF will be replaced by CRLF in .ide The file will have its original line endings warning: LF will be replaced by CRLF in .ide The file will have its original line endings warning: LF will be replaced by CRLF in grad The file will have its original line endings 	in your wor a/modules.xm in your wor a/runConfigu in your wor lew. in your wor	king directory. 1. .king directory. .retions.xml. .king directory. .king directory.		

Selecione todos os arquivos, coloque uma mensagem e depois clique em Commit and Push

😤 🗉 🗐 📢 🖻 📲 🗣 📲 🖏	Change list: Default V Git	
🗹 🗓 ExampleInstrumentedTest.java	Author:	
Z main 16 files Z java\com\example\guarino\meuprimeiroexemploapp\n Z java\com\example\guarino\meuprimeiroexemploapp\n	neuexemplocomgitapplication 1 file	
 ✓ I MainActivity.java ✓ C res 14 files ✓ C result 16 files 	Before Commit	
	□ <u>R</u> earra <u>n</u> ge code	
V V Impmap-hdpi 2 files V inc_launcher.png	Optimize imports New: 37	
Commit Message	Check TODO (Show All) Cont	figure
	Update copyright	
▼ Details	Comm <u>i</u> t Cancel Hel	lp
xemploComGitApplication>	Commit Commit and <u>P</u> ush	
oProiects\MeuExemploComGitApplication (17 minutes ago)	1:15 Create Patch	ontext

Em seguida, clique em Commit



Selecione a branch e clique em Push

R	Push Commits	×
master origin : + Commit inicia	<u>master</u> I	Caller Caller Caller
		The second s
You can enable and	configure Force Push in	n Settings. Configure
	<u>P</u> ush Ca	Incel Help

Entre com uma senha Master para armazenar os arquivos de forma segura.

Enter Master Password	×
Password ••••••	
Master password is required to unlock the password database. The password database will be unlocked during this session for all subsystems.	
Requested by: Git Http Authenticator	
Help OK Cancel Reset	

Depois, entre com a sua senha do Bitbucket

-	Git Push ×
Â	Enter the password for https://guarinaum_tutorial@bitbucket.org
	Password
	✓ <u>R</u> emember
	OK Cancel

Vá no BitBucket e confira se está tudo correto.

0	primeiro_tutorial	Guarino / primeiro_tutorial			
Q	Overview	Source			
+	Source	<pre>primeiro_tutorial /</pre>			New file
	¢ Commits	🖿 .idea			
	្ងៃ Branches	🖿 арр			
	ရီ Pull requests	gradle/wrapper			
	Ø Pipelines	Jitignore	118 B	2 minutes ago Commit inicial	
	D Developed	build.gradle	498 B	2 minutes ago Commit inicial	
	Downloads	gradle.properties	730 B	2 minutes ago Commit inicial	
	Settings	gradlew	5.0 KB	2 minutes ago Commit inicial	
	SHARE YOUR THOUGHTS	gradlew.bat	2.3 KB	2 minutes ago Commit inicial	
	∮ [€] Give feedback	settings.gradle	15 B	2 minutes ago Commit inicial	
	X Turn off new nav				