BitBucket – Criando uma nova branch no Android Studio

Primeiro, faça um Update do projeto. Menu VCS > Update Project...

VC <u>S</u>	<u>W</u> indow	<u>H</u> elp	
L	ocal <u>H</u> istory	y	•
v	CS Operatio	ons Popup	Alt+Crase
VCS C	omm <u>i</u> t Cha	anges	Ctrl+K
vcs U	pdate Proje	ect	Ctrl+T

Após isso, vá em VCS > Git > Branches

			_				
VC	<u>S</u> <u>W</u> indow <u>H</u> elp						
	Local <u>H</u> istory	•	mg	jitapplication $ angle$ C MainActivity	🔨 🗔 app		
1	VCS Operations Popup	Alt+Crase		, , ,			
VCS	Commit Changes	Ctrl+K	F				
VCS	<u>U</u> pdate Project	Ctrl+T			•••••		
	Integrate Project			exemploapp.meuexemplocomgitapplication			
÷	Refresh File Status						
	<u>G</u> it	•		Comm <u>i</u> t File			
	Create Patch		+	Add	Ctrl+Alt+A		
Apply Patch			A <u>n</u> notate				
Apply Patch from Clipboard			Show Current Revision				
Shelve Changes			🟦 Compare with the Same Repository Version				
	Checkout from Version Contro	ol 🕨		Compare with Latest Repository	<u>V</u> ersion		
	Import into Version Control	•		<u>C</u> ompare with			
	Browse VCS Repository	•		Compare with Branch			
	Sync Settings	•	P	Show <u>H</u> istory			
				Show History <u>f</u> or Selection			
			5	<u>R</u> evert	Ctrl+Alt+Z		
				Resolve Conflicts			
			L	Branches			

Clique em New Branch

Git Branches	
+ New Branch	
Checkout Tag or Revision	
Remote Branches	
origin/master	►
Current branch: master	

Após isso, dê o nome da principal alteração que será realizada



Constumo colocar o nome do desenvolvedor e depois o nome da principal alteração.

Faça qualquer alteração no código. O Toast foi alterado.



Clique em Commit Changes



Preencha a mensagem do commit e clique em Commit and Push

1				Commit Changes		×
		▶ 📄 Ξ dStudioProje	± ±cts\primeiro_tutorial\app\src\main\java\	Change lis <u>t</u> : com\example\guarino\meuprimeiroexemploapp\meuexemplocomgitapp	Default v	Git <u>A</u> uthor: A <u>m</u> end commit
4	Commit Message Segundo commit				Modified: 1	Before Commit
					Con Con	nm <u>i</u> t nmit and <u>P</u> ush
i	cap, do tosto was croated (a minute age)			14/75 CPLE+ LITE 9+ City available	Clea	no contexts 3 A A A

Selecione a branch (observe que é a branch criada nesse tutorial). Clique em Push.

2	Push Commits	×
guarino_funcao_de_teste → Segundo commit	origin : + <u>guarino funcao de teste</u>	
Push <u>T</u> ags: All	You can enable and configure Forc	e Push in Settings. Configure Cancel Help

Ao fazer isso, você pode observar no BitBucket que a segunda branch foi criada no repositório.

	primeiro_tutorial	Guarino / primeiro_tutorial						Create branch
Ξ	Overview	Branches						
\diamond	Source	FILTERS: Active Merged					Q Find br	anches
¢	Commits	Proved	Dahind	Aband	Undefed	Dull request		
រូ	Branches	master MAIN BRANCH	Benina	Anead	9 minutes ago	Pull request		uilas
ຳນ	Pull requests	guarino_funcao_de_teste		1	a minute ago			
¢	Pipelines							
Ð	Downloads							
Ø	Settings							
SHARE	YOUR THOUGHTS							
™	Give feedback							
8	Turn off new nav							

Uma opção é fazer o MERGE online com a branch master.

Branch	Behind	Ahead	Updated	Pull request	Builds
master MAIN BRANCH			9 minutes ago		
guarino_funcao_de_teste		1	a minute ago		••••
			View source		View source
			Create pull request		Create pull request
					Merge
				Merge	Delete branch guarino_funcao_de_teste into master

Merge changes

Source	<pre> p guarino_funcao_de_teste </pre>		
Destination	₽ master		
Commit message	Merged guarino_funcao_de_teste into master		
			11
Merge strategy	Merge commit		
		Merge	Cancel